# Concentricity gage RPG AL



The concentricity gages RPG AL are mainly used for the measuring of single parts. The articulated arm with head piece for the dial test indicator or the depth measurement gauge serves as an universal holder for gauging instruments.



# Fields of application areas

- Individual testing
- Serial testing with optional accessories

# Scope of delivery

- 1 Concentricity gage RPG AL (without dial gauge)
- 1 Articulated arm with holder for gauging instruments
- 1 Key
- 1 Oilstone

## Accessories

- Flat plate top stop
- Cross slide with gauge holder
- Articulated arm with gauge holder
- Dial test indicator, analogue
- Dial test indicator, digital

#### Note

- Pressing force adjustable
- Customized support rollers: In order to satisfy different customer requirements we also provide custom ized rollers according to your specifications.

## Strong Points

- + Robust design with preloaded precision bearings
- + Simple handling, quick measurement
- + For individual testings with articulated arm

# Web

See below for more details and accessories <a href="https://produkte.spreitzer.de/en/testing/concentricity-gages-centerless/concentricity-gage-rpg-al-559">https://produkte.spreitzer.de/en/testing/concentricity-gages-centerless/concentricity-gage-rpg-al-559</a>.

### Material

- Steel
- Attachments made of aluminum

### Finish


- Burnished, black anodized
- Hardened and precision grinded rollers

### Accessories on request:

- Carbide rollers
- Drive by toothed belt
- Swivel holder with guide column 150 mm (A maximum of 2 swivel holders can be mounted.)
- Electronic length probe and holder indicating instrument and software








Run-out tester RPG 0825 AL from the right




SPRETZER ...

Run-out tester RPG 0825 AL from the left

Run-out tester RPG 0825 AL from above




Run-out tester RPG 0825 AL from below



Run-out tester RPG 0825 AL rear view

Finish	Order Number	Ø Workpiece [mm]	Roller Ø [mm]	Type of rollers
RPG 0825 AL	B701000001	0,8 – 25	62	cut-in rollers interlocking
RPG 240 AL	B701000002	2 – 40	55	cut-in rollers interlocking
RPG 350 AL	B701000003	3 – 50	50	cut-in rollers
RPG 450 AL	B701000004	4 – 50	50	cylindrical rollers

Note: Your selected variants are marked in orange.



Dimensions run-out tester RPG 0425 AL